

TRANSTEX PRODUCT SPECIFICATIONS

Product Specification:	PVC150 P RTXF-NA BLACK
Transtex Product Code:	908778
Product Construction:	Single ply interwoven polyester with a low durometer black PVC cover.
Color:	Black
Compound Formulation:	Low durometer PVC cover / PVC impregnated carcass
Nominal Overall Gauge, inches:	0.290 +/- 0.01
mm:	7.4 +/- 0.25
Nominal Weight, in lbs/ft²:	1.2 +/- 10%
in kg/m²:	5.8 +/- 10%
Rated Working Tension:	150 lbs./in. / 26 N/mm. @ 1.5%
Top Cover Surface:	Rough Top
Bottom Cover Surface:	Friction
Minimum Pulley Diameter:	2.5 inches / 63.5 mm.
Temperature Range:	0° to 180° F. / -18° to 82°C.
Transverse Rigidity:	N/A
Special Standards:	N/A
Cover Coefficient of Friction, Steel:	1.3 Nominal
Bottom Coefficient of Friction, Steel:	0.8 Nominal
Production Width(s):	72 inches / 1829 mm.
Typical Applications:	Package handling, general conveying, moderate incline/decline applications up to 27 degrees.
Specification Date:	September 10, 2009

Forbo Movement Systems, Transtex Belting, does provide information, written and verbal, relative to it's products which it considers to be accurate and reliable. Such information is offered as a service only and is not an expression of warranty. Forbo Movement systems does not assume any liability whatsoever in regard to it's use. The buyer of Forbo Movement Systems, Transtex Belting products should determine for itself the suitability of such products for the particular purpose of the Buyer or the specific uses to which the product will be applied.